



Our products do more in a wide range of applications. Expect **More.** 







# TRIAD® WASHDOWN & CORROSION-RESISTANT UNIT HEATERS

The perfect solution to the problem of heating people or equipment in non-hazardous environments where moisture and corrosion exist.



### **INDUSTRIAL UNIT HEATERS**

Designed for maximum heating performance in non-hazardous and non-corrosive environments. Round design of the industrial unit heater provides uniform airflow over the elements preventing hot spots and ensure even discharge temperatures.



### **COMMERCIAL UNIT HEATERS**

Available in 50 standard models with ratings up to 50 kW at voltages of 208, 240, 277, and 480 single or three-phase. They are available with a wide variety of factory built-in or field-installed options.



### **BASEBOARD HEATERS**

Designed to fit under large windows to prevent cold down drafts. These heaters can provide total or supplemental heating for a variety of applications.



### **WALL & CEILING HEATERS**

Ten different wall and ceiling models to choose from, designed for commercial applications requiring higher kW's and quick heat up. Ratings range from 500 to 12,000 watts and up to 600 CFM to provide uniform temperatures for almost any application.



### **OTHER FORCED-AIR HEATERS**

Cabinet unit heaters offer a unique combination of quality, efficiency, reliability and flexibility. Four sizes with ratings from 2,000 to 24,000 watts and voltages up to 480-volts. Wall or ceiling with surface, semi-recessed and recessed mounting options.





### **OPEN COIL DUCT HEATERS**

Indeeco has developed QUA and QUZ heater lines to satisfy most typical space heating requirements, simplifying specification, ordering and delivery.



## HEATERS FOR AIR HANDLERS AND VARIABLE AIR VOLUME (VAV) UNITS

UR approved for use in OEM air handling applications from VAV boxes to large indoor or outdoor air handling units. Indeeco has the experience and heating products to custom tailor a heater for your application no matter how tough it is. UL 60335-2-40 is now available.



### FINNED TUBULAR DUCT HEATERS

For use in industrial applications where dust or moisture may be present. Rugged Stainless Steel finned tubular elements are well suited for industrial applications to heat 100% outside air or for unfiltered air. Wide range of sizes, kW's and control options including proportional SCR control. Built tough for tough applications.





### **ELECTRONIC CONTROLS**

A variety of controls including SCR's and microcomputer-based stage controllers designed to provide low cost precision control for multi-stage applications.





### **EXPLOSION-PROOF CONVECTOR**

Designed to provide a heavy duty and corrosion resistant heat source in hazardous areas. Four compact sizes to fit any space with ratings from 500 to 9,500 watts.



### **ULTRA-SAFE™ EXP EXPLOSION-PROOF UNIT HEATER**

With the industry's lowest ignition temperature code rating, T3C, 320°F (160°C), the Ultra-Safe™ is designed for both safety and versatility.



### **EXPLOSION-PROOF DUCT HEATERS**

Indeeco explosion-proof Ultra-Safe™ and EP2 duct heaters are Factory Mutual (FM) and CSA Approved. The Ultra-Safe™ duct heater has the only standard product offering and features the industry's lowest ignition temperature code rating, T3C, 320°F (160°C).



### Do More.

Visit indeeco.com to see how Indeeco products do more in a wide range of applications and across many industries and focused segments. We have the experience and expertise to provide you with the personalized support to arrive at customized solutions.

Email sales@indeeco.com or call 800.243.8162 to find your nearest Indeeco representative.

